

DISCUSSION PAPER SERIES

IZA DP No. 10524

The Effect of Working Hours on Health

Inés Berniell
Jan Bietenbeck

JANUARY 2017

DISCUSSION PAPER SERIES

IZA DP No. 10524

The Effect of Working Hours on Health

Inés Berniell

European University Institute

Jan Bietenbeck

Lund University and IZA

JANUARY 2017

Any opinions expressed in this paper are those of the author(s) and not those of IZA. Research published in this series may include views on policy, but IZA takes no institutional policy positions. The IZA research network is committed to the IZA Guiding Principles of Research Integrity.

The IZA Institute of Labor Economics is an independent economic research institute that conducts research in labor economics and offers evidence-based policy advice on labor market issues. Supported by the Deutsche Post Foundation, IZA runs the world's largest network of economists, whose research aims to provide answers to the global labor market challenges of our time. Our key objective is to build bridges between academic research, policymakers and society.

IZA Discussion Papers often represent preliminary work and are circulated to encourage discussion. Citation of such a paper should account for its provisional character. A revised version may be available directly from the author.

ABSTRACT

The Effect of Working Hours on Health*

Does working time causally affect workers' health? We study this question in the context of a French reform which reduced the standard workweek from 39 to 35 hours, at constant earnings. Our empirical analysis exploits variation in the adoption of this shorter workweek across employers, which is mainly driven by institutional features of the reform and thus exogenous to workers' health. Difference-in-differences and lagged dependent variable regressions reveal a negative effect of working hours on self-reported health and positive effects on smoking and body mass index, though the latter is imprecisely estimated. Results are robust to accounting for endogenous job mobility and differ by workers' occupations.

JEL Classification: I10, I12, J22

Keywords: working hours, health, smoking, BMI

Corresponding author:

Jan Bietenbeck
Department of Economics
Lund University
P.O. Box 7082
220 07 Lund
Sweden
E-mail: jan.bietenbeck@nek.lu.se

* We thank Lian Allub, Manuel Arellano, Manuel Bagues, Lucila Berniell, Guillermo Caruana, Laura Crespo, Dolores de la Mata, Paul Dourgnon, Romain Fantin, Daniel Hamermesh, Matilde Machado, Kaveh Majlesi, Alessandro Martinello, Claudio Michelacci, Barbara Petrongolo, as well as seminar audiences at CEMFI, the University of Duisburg-Essen, Lund University, the 15th IZA Summer School in Labor Economics, and the EALE conference in Bonn for helpful comments on different versions of this paper. We thank IRDES for providing us with the ESPS data.

1. Introduction

Does working time causally affect workers' health? Data from employee surveys suggest so: for example, in a recent study of European workers, the share of respondents who stated that their work negatively affects their health rose monotonically from 19% for those working less than 30 hours per week to 30% for those working at least 40 hours per week.¹ Perceived negative health impacts from work also motivated the change to a 6-hour workday, at constant earnings, by some Swedish employers, a decision that received extensive international media coverage.² From a theoretical point of view, working time may affect health because of potential direct health impacts of work (e.g., physically strenuous work leading to exhaustion) or because of its impact on the time available for health production at home (e.g., longer working hours reducing the time for physical exercise).

Empirical studies of the effect of working time on health face two fundamental challenges. First, working hours are not randomly assigned, introducing bias into any naive regression estimate of the impact of hours. This bias may be due to omitted unobserved factors that influence both hours and health, or due to reverse causality, whereby health affects hours rather than the other way around. Second, estimates of the impact of working time are usually confounded by the influence of hours on income, which has an important independent effect on health (e.g. [Frijters, Haisken-DeNew, and Shields, 2005](#); [Lindahl, 2005](#)). Both for determining the importance of working time as an input into health production and from a policy perspective, however, the pure hours effect, i.e. the effect of working hours on health keeping income constant, is particularly relevant.

In this paper, we study the impact of working hours on health in the context of a French workweek reform which allows us to address both of

¹These figures are for EU-27 respondents in the 2015 European Survey of Working Conditions. Shares of respondents who perceived negative health impacts from their work were: 19% (respondents working <30 hours per week), 26% (30-34 hours per week), 28% (35-39 hours per week), and 30% (40+ hours per week).

²For example, the switch to a 6-hour workday by a Gothenburg retirement home in 2015 was covered in *The New York Times*, *The Guardian*, and *Die Zeit*, among many other media outlets. Other Swedish employers who reduced or plan to reduce weekly working time at constant earnings include a Toyota production plant, several technology start-ups, and the municipal administration of Malmö, Sweden's third largest city.

these challenges. The reform, which was introduced by the socialist government in 1998, reduced the standard workweek from 39 to 35 hours, at constant earnings. The laws mandating this reduction included different deadlines for implementation for firms of different sizes, which led to substantial employer-level variation in working time in the following years. This variation, which is arguably exogenous to individual workers' health, and the absence of income effects make the French context uniquely suited to study the impact of working hours on health.³

Our analysis draws on data from a French longitudinal health survey which allows us to observe a sample of male workers before and after the reform, in 1998 and in 2002. The survey asked each worker whether his employer had adopted the 35-hours workweek, and we generate our binary treatment variable from the answers to this question. The data also contain information on smoking behavior, body mass index, and self-reported health, which serve as outcome variables in our regressions.

We first estimate the impacts of the reform in a difference-in-differences framework, comparing the evolution of health outcomes of workers in implementing and non-implementing firms. A drawback of this strategy in our context is that with only one pre-treatment period, we cannot provide evidence in support of its key assumption ("parallel trends"). We therefore complement these specifications with lagged dependent variable regressions which directly exploit the longitudinal dimension of our data and which assume unconfoundedness given past outcomes instead. For both strategies, we also run regressions in which we instrument actual hours worked with our treatment variable; under the additional assumption that treatment affects health only via its impact on hours, these specifications identify the causal (pure-hours) effect of working time on health.

The results consistently indicate that working time has negative effects on workers' health behaviors and health. In particular, instrumental variable regressions show that one additional hour of work increases smoking

³Estevão and Sá (2008) and Chemin and Wasmer (2009) study the labor market impacts of this workweek reduction. Goux, Maurin, and Petrongolo (2014) exploit within-household variation in working hours induced by this reform to examine interdependencies in spousal labor supply. Saffer and Lamiraud (2012) study the impact of working time on social interaction in the context of this reform.

by 1.5-2.5 percentage points and reduces self-reported health by 0.04-0.08 points on a scale from 0-10. Working time moreover appears to raise body mass index, but this effect is small and imprecisely estimated. A heterogeneity analysis reveals that these impacts of working hours on health differ considerably between blue-collar and white-collar workers. Finally, results are generally very similar across our two identification strategies and are robust to accounting for potential endogenous cross-employer mobility, increasing confidence in a causal interpretation of our estimates.

Our paper is related to a large medical literature on the health impacts of working time. Studies in that literature have focused predominantly on overtime hours and have generally found negative effects on health behaviors and health (e.g. [Sparks and Cooper, 1997](#); [van der Hulst, 2003](#); [Kivimäki et al., 2015](#)). However, most of those studies have failed to adequately address the empirical challenges described above.⁴ Our work is further related to a literature within economics that documents negative health impacts of job displacement (e.g. [Sullivan and von Wachter, 2009](#); [Marcus, 2014](#); [Black, Devereux, and Salvanes, 2015](#); [Schaller and Stevens, 2015](#)). Whereas those papers estimate the combined effect of reduced hours and everything else changing with job loss, our study focuses on the pure working time impact. Finally, our work also relates to studies showing that health tends to improve during recessions (e.g. [Ruhm, 2000, 2005](#)). While those impacts could theoretically be driven by reductions in hours, more recent evidence has identified business cycle externalities as their probable main driver ([Miller et al., 2009](#)). To summarize, this paper's main contribution is to provide the first credibly causal estimates of the impact of working hours on health for a large population of workers.⁵

⁴One exception is the study by [Åkerstedt et al. \(2001\)](#), which experimentally varied workweek length, at constant earnings, among a group of female health care and day care workers in Sweden. That study found positive effects of a shorter workweek on sleep quality, mental fatigue, and heart/respiratory symptoms.

⁵Our work is also related to a recent study by [Hamermesh, Kawaguchi, and Lee \(2014\)](#), who show that life satisfaction improved in Korea and Japan after an exogenous reduction in the standard workweek.

2. Institutional background

Until the late 1990s, the standard workweek in France was set at 39 hours, with a legal maximum of 130 overtime hours per year and a 25% overtime wage premium. This situation changed considerably in 1998, when the newly elected left-wing government launched the reform that provides the backdrop for our study. The coalition of socialists and several smaller parties had campaigned on a program of reducing unemployment via work-sharing; in particular, the standard workweek was to be shortened from 39 to 35 hours, at constant earnings. Once in government, the coalition implemented this reduction via two distinct laws, known as Aubry I and Aubry II after the then Minister of Labor Martine Aubry. We now describe the provisions of these laws which are relevant for our analysis.⁶

Aubry I was passed in June 1998 and set the standard workweek at 35 hours in the private sector, with deadlines for implementation in January 2000 for large firms with more than 20 employees and in January 2002 for smaller firms. The reduction in hours was to be achieved through bargained agreements between employers and employee representatives at the firm level. Employers' incentives to sign such 35-hours agreements were threefold. First, after the relevant deadline, hours worked beyond the thirty-fifth hour were subject to the overtime wage premium, increasing labor costs. Second, the law introduced generous payroll tax cuts for firms which implemented the shorter workweek before these deadlines. Third, the negotiated agreements could allow for more flexible work schedules, the possibility of which had been very limited until then. Importantly, because workers should not bear the full costs of the reform, Aubry I required all agreements to keep the earnings of minimum-wage workers constant. In practice, previous studies have found near-zero effects of the reform on earnings also for higher-wage workers (Estevão and Sá, 2008; Goux, Maurin, and Petrongolo, 2014), a result that we further corroborate in the empirical analysis below.

Aubry II was passed in January 2000 and amended some of the rules regarding the implementation of the 35-hour workweek. For example, it

⁶This section draws heavily on Estevão and Sá (2008), Askenazy (2013), and Goux, Maurin, and Petrongolo (2014).

introduced a transitional period with reduced overtime payments for small firms, allowing them to employ workers for 39 hours per week at almost no additional cost until 2005. The law also made it possible to achieve some nominal reduction in hours by simply re-defining working time to exclude ‘unproductive breaks’ (Askenazy, 2013). Moreover, firms could now implement the shorter hours on an annual basis, with a cap of 1,600 hours per worker and year. Finally, both Aubry I and Aubry II included special provisions for managers and other professionals with ‘genuine autonomy’ in their work: depending on their rank, these workers either could sign agreements restricting the number of days (but not hours) worked, or even were fully exempt from the new working time regulations.

In the general elections of June 2002, the conservative parties came back to power and almost immediately started to remove the incentives for employers to sign 35-hours agreements. By that time, many firms had already switched to the shorter workweek, including many public sector employers that were not formally covered by the Aubry laws. But especially small firms benefiting from the transitional period had continued to employ their workers for 39 hours. In the empirical analysis, we exploit such employer-level variation in the adaptation of the 35-hours workweek, which is driven mostly by differences in firm size, in order to estimate the impact of working hours on health.

3. Data

We draw on data from the Enquête sur la Santé et la Protection Sociale (ESPS), a longitudinal survey of health, health insurance, and health care utilization. Around the time of the workweek reduction, the survey followed a representative sample of individuals in Metropolitan France, who were interviewed every four years. An important feature of ESPS is that it allows us to identify which workers were actually affected by the reform. In particular, the 2002 wave of the survey asked respondents whether their current employer had implemented the 35-hours workweek, and we construct our treatment variable based on the answers to this question. In the remainder of this section, we summarize our data construction and measurement, with many more details provided in the Data Appendix.

Our analysis uses individual-level data from the 1998 and 2002 waves of ESPS. The empirical strategy requires information on treated and untreated workers before and after the introduction of the 35-hours workweek. Because treatment was measured in the survey only in 2002, we restrict our sample to employees interviewed in both that and the preceding 1998 wave, giving us one pre- and one post-treatment observation per individual.⁷ We also obtained data from the 1994 and 2006 waves of ESPS, but chose not to augment our sample with these years for two reasons. First, the sampling method of the survey changed in 1998, such that only a small and unrepresentative sub-sample of 29% of workers is observed also in 1994. Second, various counter-reforms by the conservative government after 2002 affected treated and untreated individuals in different ways, confounding any impacts of the original reform measured in 2006 (see [Askenazy, 2013](#)).

To ensure that we concentrate on workers whose hours were indeed reduced if treated, we impose some additional sample restrictions. Specifically, we select individuals aged 18-61 and working at least 35 hours in 1998 (but any number of hours in 2002), and we exclude managers and high-level professionals who either were not covered by the Aubry laws or were subject to a different treatment (see Section 2). Although the remaining sample includes 785 men and 509 women, the main empirical analysis focuses exclusively on male workers. The reason is that the first-stage effect of treatment on hours is close to zero for women in this particular sample, mainly because treated women are less likely to switch from full-time to part-time work. We discuss this issue in more detail in Section 5.

The treatment variable is an indicator for working for an employer who, as of 2002, has adopted the 35-hours workweek. While the exact dates that these hours reductions were implemented are not observed in the data, [Goux, Maurin, and Petrongolo \(2014\)](#) show that only very few firms switched to the shorter hours before the year 2000. Thus, the treatment captures exposure to the 35-hours workweek for at most 2–3 years. As for dependent variables, ESPS contains detailed information on many

⁷Due to sample attrition and sample refreshments, not all individuals surveyed in 1998 were also surveyed in 2002 and vice versa. The year 1998 can reasonably be assumed to belong to the pre-treatment period since virtually no employer signed a 35-hours agreement before 1999 (see [Goux, Maurin, and Petrongolo, 2014](#)).

health outcomes and health behaviors. Due to the small number of observations, however, the regressions below focus on the following three conditions with relatively high variation in the sample: smoking behavior, body mass index (BMI), and self-reported health.⁸ Notably, smoking and overweight (defined as having a BMI greater than 25) are among the leading preventable causes of death.

Table 1 reports means and standard deviations of key variables in 1998 separately for the 623 treated and 162 untreated workers in the sample.⁹ While the two groups appear similar regarding age, marital status, and household income, treated workers tend to have higher levels of education. Interestingly, treated workers also work fewer hours on average already before the introduction of the 35-hours week, and they are more likely to be employed in the public sector. In contrast, there are no statistically significant differences in terms of smoking, body mass index, and self-reported health between the two groups.

4. Empirical strategy

Two fundamental challenges arise when trying to estimate the effect of working hours on health. First, working time is not randomly assigned, introducing bias into any naive regression estimate of the impact of hours. This bias may be due to omitted unobserved factors that influence both hours and health, or due to reverse causality, whereby health affects hours rather than the other way around. Second, even if working time were randomly assigned, the estimate would still be confounded by the usual impact of hours on income, which has an important independent effect on health (e.g. [Frijters, Haisken-DeNew, and Shields, 2005](#); [Lindahl, 2005](#)).

⁸ESPS asks respondents which health conditions they are currently suffering from, with answers coded according to the International Classification of Diseases (ICD). Even when looking at broad groups of diseases that affect a relatively large fraction of individuals (i.e. around 10-15%), our small sample size implies that we do not have enough power to provide informative estimates of the effect of treatment on these conditions. Furthermore, while the 2002 wave of ESPS contains information on other health behaviors such as frequency of drinking and exercising, the lack of data for 1998 means that we cannot use these behaviors as outcomes in our analysis.

⁹For the results in this and all subsequent tables, we weight observations using the sampling weights provided by ESPS, although in practice this makes little difference.

For determining the importance of working time as an input into health production, however, the pure hours effect is the actual quantity of interest.

The French workweek reform provides a unique opportunity to address both of these empirical challenges. Specifically, it led to employer-level variation in working time which was driven by institutional features (in particular, the different deadlines for switching to the 35-hours workweek for small and large firms) and thus arguably exogenous to individual workers' characteristics. Moreover, since income was unaffected, the pure hours effect can be disentangled from the income effect (under some additional assumptions set out below). Our first identification strategy leverages these features in a difference-in-differences framework similar to the one used by [Goux, Maurin, and Petrongolo \(2014\)](#). We estimate:

$$Y_{it} = \alpha_i + \beta_1 Post_t + \beta_2 Treated_i * Post_t + \varepsilon_{it}, \quad (1)$$

where Y_{it} is a health-related outcome for individual i at time t , α_i is a vector of individual fixed effects, $Post_t$ is an indicator taking value 1 for $t = 2002$ and value 0 for $t = 1998$, and $Treated_i$ is an indicator for whether i 's employer in 2002 adopted the 35-hours workweek. Note that the individual fixed effects absorb all time-invariant individual characteristics (including treatment status $Treated_i$) here, increasing the precision of our estimates.

Equation 1 is a classical difference-in-differences specification with two groups and two periods. Under the assumption that differences in health between treated and untreated individuals would have been stable in absence of the workweek reform ("parallel trends"), it identifies the causal effect of switching to the 35-hours workweek. An important drawback of having only a single pre-treatment period is that we cannot provide evidence in support of this assumption, e.g. by showing that trends in health for the two groups were parallel before the reform. To lend additional credibility to our results, we therefore also present estimates of the following lagged dependent variable specification:

$$Y_{i,2002} = \gamma_1 Treated_i + \gamma_2 Y_{i,1998} + \mathbf{X}'_{i,1998} \gamma_3 + \varepsilon_{i,2002}, \quad (2)$$

where $\mathbf{X}_{i,1998}$ is a vector of individual-level control variables measured in

1998 and the other variables are defined as above. Unlike the difference-in-differences model, which accounts for selection into treatment based on fixed group and worker characteristics, the specification in equation 2 relies on the assumption of unconfoundedness given past outcomes for identification. Thus, the two specifications are not nested, and we can gain some confidence in our results if they yield similar estimates.¹⁰

The regression models considered so far aim at identifying the overall, reduced-form effect of the workweek reform on workers' health. In contrast, the policy-relevant question that this paper intends to address is how working hours affect workers' health. As described in Section 2, the Aubry laws mainly mandated a shortening of the standard workweek from 39 to 35 hours, but also introduced some other changes such as flexible work schedules. Under the assumption that the reform influenced health only via its effect on working time, we can use the treatment variable as an instrument for hours to provide a direct estimate of the impact of working hours on health. Accordingly, Section 5 below presents estimates from both the reduced-form specifications in equations 1 and 2 and the corresponding instrumental-variable regressions.¹¹

5. Results

5.1. *Effects on hours and income*

Figure 1 shows the distributions of hours in 1998 and 2002 separately for the treatment and control groups. In both groups, the distribution peaks

¹⁰In a review of the two methods, [Imbens and Wooldridge \(2009\)](#) conclude that “[a]s a practical matter, the [difference-in-differences] approach appears less attractive than the unconfoundedness-based approach in the context of panel data. It is difficult to see how making treated and control units comparable on lagged outcomes will make the causal interpretation of their difference less credible [...]” (p.70)

¹¹From the description of the workweek reform in Section 2, one can devise at least two further identification strategies which are not used in this paper. First, one may want to exploit variation in firm size in conjunction with the different deadlines for small and large firms. This strategy is used by [Estevão and Sá \(2008\)](#) to study the labor market impacts of the workweek reform, but it cannot be employed here due to the lack of information on firm size in the ESPS data. Second, one may be tempted to use part-time workers as a control group in a difference-in-differences setup. However, [Oliveira and Ulrich \(2002\)](#) show that part-time workers in treated firms actually *increased* their hours in response to the reform, a result which we confirmed in our data. Thus, part-time workers were also affected by the reform, rendering them a bad control group.

at 39 hours in 1998, with about half the workers reporting this amount of weekly working time. In the treatment group, this peak shifts to 35 hours in 2002, whereas the mode stays at 39 hours in the control group, pointing to a strong negative impact of the reform on working time.

Column 1 of Table 2 quantifies this first-stage effect. Panel A reports an estimate of a 2.4-hour decrease for treated workers based on the difference-in-differences specification. In comparison, the estimate based on the lagged dependent variable model in Panel B is 3.4 hours. The two regressions thus yield roughly similar results; however, both estimates fall short of the nominal 4-hour reduction in the standard workweek. Potential reasons for this difference include re-definitions of working time, implementation of the shorter hours at the annual rather than weekly level (see Section 2), or simply an increased use of overtime work by employers who switched to the 35-hours workweek.¹²

Column 2 of Table 2 reports estimates of the effect of the reform on monthly household income. This outcome serves as a rough proxy for individual earnings, which unfortunately are not observed in the ESPS data (see the Data Appendix for details). In line with the findings from previous studies of the French workweek reduction (Estevão and Sá, 2008; Goux, Maurin, and Petrongolo, 2014), the results indicate an economically and statistically insignificant effect of the shorter workweek on income. Overall, the estimates in Table 2 thus confirm the expected impacts of the reform: it reduced weekly working hours at constant earnings.

5.2. Effects on smoking, BMI, and self-reported health

Table 3 presents our main results for smoking, BMI, and self-reported health. Column 1 shows that working for an employer who adopted the 35-hours workweek leads to a 6 percentage point decrease in smoking, independently of the identification strategy used (panels A and B). Under the assumption that this effect is driven only by the reduction in hours, this translates into a 1.5-2.5 percentage point increase in smoking per additional hour worked (panels C and D). Columns 2 and 3 show impacts

¹²Previous studies have also found that workers who were affected by the reform reduced their labor supply by less than 4 hours; see Estevão and Sá (2008), Saffer and Lamiraud (2012), and Goux, Maurin, and Petrongolo (2014).

on smoking separately for individuals who did versus did not smoke in 1998. The estimates reveal that the negative effect in the overall sample is driven primarily by quitting of baseline smokers, rather than non-initiation of baseline non-smokers.¹³

Column 4 reports a small negative impact of the workweek reform on BMI, with instrumental variable regressions suggesting a 0.02-0.04 increase for each additional hour of work. Qualitatively similar results are obtained when rather than a continuous outcome measure, indicators for being overweight or obese are used (results available on request). However, none of these estimates is statistically significant at conventional levels. Finally, column 5 shows a negative effect of working time on self-reported health: for each additional hour worked, health decreases by 0.04-0.08 on a scale from 0-10. These estimates are on the margin of statistical significance ($p=0.09$ in panel C and $p=0.11$ in panel D).¹⁴

Taken together, the results in Table 3 consistently indicate that workers' health improves as employers switch to the shorter workweek. Across all outcomes, the estimates from the difference-in-differences and lagged dependent variable specifications are quite similar, which should give us some confidence that they reflect causal effects. While we are unable to provide direct evidence on the mechanisms behind these health improvements, an increase in leisure time spent on health-promoting activities and a decrease in work-related health damage appear natural explanations for our findings.

5.3. Heterogeneity

An interesting question is whether the impact of the shorter workweek differs by workers' occupation or age. In Table 4, we separate workers into blue-collar and white-collar occupations and report estimates of the effect of treatment on hours and health for each of the two groups. Even though both types of workers experience the same reduction in hours, there are

¹³Table 3 reports estimates for smoking based on linear probability models. Results from probit specifications are very similar and are available on request.

¹⁴In an attempt to increase statistical power, we also created a summary index of the three health-related outcomes and used it as a dependent variable in our regressions. The resulting estimates revealed a highly significant impact of the workweek reform on this summary index ($p=0.01$; results available upon request).

striking differences in the impacts of the shorter workweek on their health. In particular, whereas treatment decreases smoking by 9 percentage points and increases self-reported health by 0.2-0.4 for blue-collar workers, the estimated effects for white-collar workers are close to zero and not statistically significant at conventional levels. In contrast, BMI decreases among white-collar workers but, if anything, *increases* among blue-collar workers. A potential explanation for this last result is that blue-collar workers burn more calories on the job, and that they do not use the additional free time for a correspondingly larger increase in physical exercise.

Table 5 reports estimated impacts of the workweek reform separately for young (ages 18-39) and old (ages 40-61) workers. Columns 1 and 5 show that the size of the hours reduction was about twice as large for old workers at 3.4-4.4 hours. Analogously, these workers experienced a substantially larger improvement in their health. For example, working for an employer who adopted the 35-hours workweek increased old workers' self-reported health by a marginally significant 0.3-0.4, whereas the estimated impact on young workers is only about one third of that size and not statistically significant at conventional levels.

5.4. *Robustness*

An important concern with the results presented above is that they may be due to endogenous mobility between the treatment and control groups. For example, healthy workers might value their leisure time more and decide to switch to employers which adopted the 35-hours workweek. Such endogenous sorting would compromise our difference-in-differences estimates, and it would also jeopardize our lagged dependent variable estimates unless sorting is fully accounted for by differences in lagged outcomes. One way to rule this mechanism out is to focus on a subsample of job-stayers, i.e., workers who did not change employer between 1998 and 2002. Unfortunately, because the ESPS data do not include firm identifiers and because treatment is observed only in 2002, we are unable to unambiguously identify job-stayers. Instead, we present results for increasingly stringent subsamples of *likely* job-stayers.

The first part of Table 6 shows results for a subsample of workers who report having a permanent contract in both 1998 and 2002 and who intu-

itively are less likely to switch jobs than workers on temporary contracts. The second part of the table further restricts this subsample to workers who did not switch between the public and private sector. Finally, the last part of the table additionally excludes workers who changed occupation type or profession between 1998 and 2002.¹⁵ Across all these subsamples and specifications, the impacts of the shorter workweek are very similar to our main estimates, even though the precision of the estimates is naturally reduced. Therefore, we can be reasonably confident that endogenous mobility is not driving our results.

5.5. Results for women

As indicated in Section 3, the empirical analysis focuses on male workers because the first-stage effect of treatment on hours is close to zero for female workers in our particular sample. Importantly, this is not due to treated women not reducing their working time; rather, women in the control group are more likely to switch to part-time work. This pattern is clearly visible in Appendix Figure 1, which replicates Figure 1 for the sample of female workers.¹⁶ One potential explanation for this result is that women find it easier to combine a 35-hours workweek with caring for their children.¹⁷ When we estimate the effect of treatment on health for the selected group of females who worked at least 35 hours in both 1998 and 2002, we find small negative impacts on smoking and BMI, but also a small negative impact

¹⁵The subsample in the last part of Table 6 almost certainly excludes some workers who actually did *not* change jobs. This is because the questions eliciting occupation type and profession are ambiguous in the ESPS survey. For example, workers are asked to name the *perceived* type of their occupation, with possible answers including the very similar “qualified worker” and “specialized worker.” See the Data Appendix for further details on these variables.

¹⁶In first-stage regressions of hours on treatment, the coefficient estimates are -0.311 and -0.870 in the difference-in-differences specification and lagged dependent variable specification, respectively. Separate regressions moreover indicate that treatment raises women’s likelihood of working full-time by a highly significant 10-11 percentage points. These results are available upon request.

¹⁷This intuition is shared by [Askenazy \(2013\)](#), who states that “a large number of women who work four days per week (i.e. women who do not work Wednesdays, when there is no school for young children) can more easily supply 35 hours of full-time work than 39 hours of full-time work.” While childbearing cannot be perfectly observed in the ESPS data, we confirmed that the first stage is stronger for women in households without children.

of self-reported health. However, due to the small sample size all of these effects are very imprecisely estimated (results available upon request).

6. Conclusion

We study whether working time causally affects workers' health, a question that is important both for learning about the health production function and for informing policy. To overcome problems of non-random assignment of hours and confounding income effects, our empirical analysis exploits a French reform that shortened the standard workweek from 39 to 35 hours, at constant earnings. Our difference-in-differences and lagged dependent variable models use employer-level variation in the adoption of this shorter workweek, which is arguably exogenous to workers' health. The estimates show that working time negatively affects health behaviors and health, as measured by smoking, body mass index, and self-reported health. While some of our estimates lack precision, the consistency of our findings across different outcomes and identification strategies increase our confidence that they reflect causal impacts.

References

- Åkerstedt, T., B. Olsson, M. Ingre, M. Holmgren, and G. Kecklund. 2001. "A 6-hour Working Day - Effects on Health and Well-Being." *Journal of Human Ergology* 30:197–202.
- Askenazy, P. 2013. "Working Time Regulation in France from 1996 to 2012." *Cambridge Journal of Economics* 37:323–347.
- Black, S.E., P.J. Devereux, and K.G. Salvanes. 2015. "Losing heart? the effect of job displacement on health." *Industrial and Labor Relations Review* 68:833–861.
- Chemin, M., and E. Wasmer. 2009. "Using Alsace Moselle Local Laws to Build a Difference in Differences Estimation Strategy of the Employment Effects of the 35 Hour Workweek Regulation in France." *Journal of Labor Economics* 27:487–524.
- Estevão, M., and F. Sá. 2008. "The 35-hour workweek in France: Straight-jacket or welfare improvement?" *Economic Policy* 23:417–463.

- Frijters, P., J.P. Haisken-DeNew, and M.A. Shields. 2005. "The causal effect of income on health: Evidence from German reunification." *Journal of Health Economics* 24:997–1017.
- Goux, D., E. Maurin, and B. Petrongolo. 2014. "Worktime regulations and spousal labor supply." *American Economic Review* 104:252–276.
- Hamermesh, D.S., D. Kawaguchi, and J. Lee. 2014. "Does Labor Legislation Benefit Workers? Well-Being after an Hours Reduction." IZA Discussion Paper No. 8077.
- Imbens, G.W., and J.M. Wooldridge. 2009. "Recent Developments in the Econometrics of Program Evaluation." *Journal of Economic Literature* 47:5–86.
- Kivimäki, M., M. Jokela, S.T. Nyberg, A. Singh-Manoux, E.I. Fransson, L. Alfredsson, J.B. Bjorner, M. Borritz, H. Burr, A. Casini, E. Clays, D. De Bacquer, N. Dragano, R. Erbel, G.A. Geuskens, M. Hamer, W.E. Hooftman, I.L. Houtman, K.H. Jöckel, F. Kittel, A. Knutsson, M. Koskenvuo, T. Lunau, I.E.H. Madsen, M.L. Nielsen, M. Nordin, T. Oksanen, J.H. Pejtersen, J. Pentti, R. Rugulies, P. Salo, M.J. Shipley, J. Siegrist, A. Steptoe, S.B. Suominen, T. Theorell, J. Vahtera, P.J.M. Westerholm, H. Westerlund, D. O'Reilly, M. Kumari, G.D. Batty, J.E. Ferrie, and M. Virtanen. 2015. "Long working hours and risk of coronary heart disease and stroke: A systematic review and meta-analysis of published and unpublished data for 603 838 individuals." *The Lancet* 386:1739–1746.
- Lindahl, M. 2005. "Estimating the effect of income on health and mortality using lottery prizes as an exogenous source of variation in income." *Journal of Human Resources* 40:144–168.
- Marcus, J. 2014. "Does Job Loss Make You Smoke and Gain Weight?" *Economica*, pp. 626–648.
- Miller, D.L., M.E. Page, A.H. Stevens, and M. Filipski. 2009. "Why are recessions good for your health?" *American Economic Review* 99:122–127.
- Oliveira, A., and V. Ulrich. 2002. "L'incidence des 35 heures sur le temps partiel." *Premières synthèses* No. 07.1.
- Ruhm, C.J. 2000. "Are Recessions Good for Your Health?" *The Quarterly Journal of Economics* 115:617–650.
- . 2005. "Healthy living in hard times." *Journal of Health Economics* 24:341–363.

- Saffer, H., and K. Lamiraud. 2012. “The effect of hours of work on social interaction.” *Review of Economics of the Household* 10:237–258.
- Schaller, J., and A.H. Stevens. 2015. “Short-run effects of job loss on health conditions, health insurance, and health care utilization.” *Journal of Health Economics* 43:190–203.
- Sparks, K., and C. Cooper. 1997. “The effects of hours of work on health: A meta-analytic review.” *Journal of Occupational and Organizational Psychology* 391:391–408.
- Sullivan, D., and T. von Wachter. 2009. “Job Displacement and Mortality: An Analysis Using Administrative Data.” *Quarterly Journal of Economics* 124:1265–1306.
- van der Hulst, M. 2003. “Long workhours and health.” *Scandinavian Journal of Work, Environment and Health* 29:171–188.

Data Appendix

Merging the 1998 and 2002 waves of ESPS

The empirical analysis is based on the 1998 and 2002 waves of the Enquête sur la Santé et la Protection Sociale (ESPS). The survey draws a random sample of individuals from an administrative database of the three main public health insurance funds in France. The selected individuals, who are referred to as “assurés principaux” (APs, “main insured”), as well as all members of their households are then interviewed for the survey. APs interviewed in 1998 were contacted again to participate in the 2002 wave of ESPS, and also in that wave, the current (i.e. 2002) members of their households were asked to participate. As usual, there was some attrition such that not all APs surveyed in 1998 are observed also in 2002; moreover, the sample was refreshed with some individuals not surveyed in the earlier years. The resulting sample is representative of 95% of the households in Metropolitan France. In our analysis, we weight observations using the sampling weights provided with the 1998 data.¹⁸

¹⁸Results are qualitatively and quantitatively very similar if no sampling weights are used. For detailed information on ESPS sampling procedures, questionnaires, etc. (in French), see the ESPS website: <http://www.irdes.fr/recherche/enquetes/esps-enquete-sur-la-sante-et-la-protection-sociale/questionnaires.html>.

The data contain unique household identifiers that are consistent across all waves of ESPS. Moreover, there is an indicator for whether an individual is an AP. Together, these variables let us uniquely identify APs across the two waves of our sample. In order to identify non-AP household members across the two waves, we matched individuals on their relationship to the AP (partner, child, father or mother, brother or sister), gender, and age within households, keeping only unique matches. In principal, these matches could still be “false positives,” e.g. when the AP changes partner between 1998 and 2002 and the new partner has the same gender and age as the old partner. To get a sense of the magnitude of this problem, we exploited the fact that in 1994 and 1998 (but not in 2002), the first five letters of individuals’ first names are available in the data. In our final sample of males used in the empirical analysis, only two out of the 220 individuals who are observed also in 1994 did not have the same first name in 1994 and 1998 (and results are robust to excluding them from the sample).¹⁹ This suggests that our within-household matching procedure works very well.

Construction of variables

The data contain information on individuals’ age, gender, and education. For the latter variable, we collapse the available six categories into three education levels: lower secondary or less, upper secondary, and tertiary. We also use information on household size and household income. The latter is only available as a categorical variable, with different intervals in 1998 and 2002. For our analysis, we construct a continuous variable by imputing household income at the midpoint of each interval and converting the values to 1998 euros.²⁰

We construct our hours variable from the answers to the question “Combien d’heures travaille-t-elle par semaine hors trajet?,” which translates as “How many hours do you work per week, not counting commuting time?” We discard the top 1% of values, corresponding to working more than 70 hours, as many of these values are likely misreported (e.g., some individuals

¹⁹We allowed for some differences in the spelling of names; for example, we would not count “JJacq” (which likely stands for Jean-Jacques) and “Jean-” as different names.

²⁰The highest income intervals in 1998 and 2002 are not bounded from above. In our newly-constructed variable, we set household income to missing for these intervals.

report working 160 hours per week).

Regarding occupation type, the data contain information on whether an employee works in the public or private sector as well as information about her occupation from two questions. The first of these questions asks employees about their perceived occupation type, with possible answers “unskilled worker / specialized worker,” “qualified worker,” “employee,” “technician, foreman,” and “engineer, professional” (“cadre” in French). The second question asks about employees’ profession, with answers coded into 19 different categories. As described in the main text, managers and high-level professionals were subject to special rules under the Aubry laws and are therefore excluded from our analysis. Unfortunately, the laws were not very specific regarding the definition of these managers. In our analysis, we consider employees with the following profession to be managers or high-level professionals: artists, traders, business and executive managers, and liberal and intellectual professionals.²¹ We experimented with a host of alternative definitions of managers and found that our results were robust to using any of them (details are available upon request). Finally, we considered employees with perceived occupation “unskilled worker / specialized worker” or “qualified worker” as blue-collar workers, and all other employees as white-collar workers. Again, we experimented with using alternative definitions and found that our results were robust to this.

Our three main outcome variables are an indicator for whether an individual is a current smoker, self-reported health on a scale from 0 to 10, and body mass index (BMI). For the latter variable, we exclude extreme values above 65 which are likely misreported (a BMI of 65 corresponds, e.g., to a person measuring 175cm and weighing 200kg).

Sample restrictions

As described in the main text, we focus on a sample of male workers who are aged 18-61 in 1998 and who are employed in both 1998 and 2002. We drop individuals without information on treatment status or on the

²¹In French, the categories are: “artisan,” “commerçant et assimilé,” “chef d’entreprise de 10 salariés et plus,” “profession libérale,” “profession intellectuelle, artiste, cadre fonction publique,” and “cadre d’entreprise.”

health-related outcomes used in our analysis.²² We further drop individuals working less than 35 hours in 1998 as well as managers and professionals, who received special treatment under the Aubry laws.

²²Sample sizes differ slightly between regressions because not all outcomes are available for all individuals in both years. Results are robust to restricting the sample to individuals observed with all outcomes.

Figure 1
Weekly working hours by treatment status and year




Table 1
Means and standard deviations in 1998 by treatment status

	Treated	Control	p-value (difference)
<i>Socio-demographic characteristics</i>			
Age	38.08 (8.20)	37.31 (8.36)	0.29
Education			
Lower secondary	0.66 (0.47)	0.78 (0.42)	<0.01
Upper secondary	0.18 (0.38)	0.13 (0.33)	0.13
Tertiary	0.16 (0.37)	0.09 (0.29)	0.03
Married	0.85 (0.36)	0.87 (0.34)	0.46
Household size	3.32 (1.31)	3.52 (1.30)	0.09
Household income	2046 (798)	1955 (775)	0.21
<i>Job characteristics</i>			
Hours	40.40 (4.69)	42.25 (6.01)	<0.01
Blue collar	0.44 (0.50)	0.63 (0.48)	<0.01
Public sector	0.21 (0.41)	0.15 (0.36)	0.07
<i>Health-related outcomes</i>			
Current smoker	0.35 (0.48)	0.37 (0.48)	0.66
Body mass index	24.83 (3.16)	25.21 (4.01)	0.30
Self-reported health	8.53 (1.35)	8.59 (1.23)	0.60
No. of workers	623	162	

Notes: The table reports means and standard deviations (in parentheses) of key variables separately for the 623 treated and the 162 control workers in the sample. Household income measures monthly income in euros. Self-reported health ranges from 0–10, with higher values indicating better health. For further details regarding all variables used in the empirical analysis, see the Data Appendix.

Table 2
Effects on hours and household income

	Hours (1)	Household income (2)
<i>Panel A: difference-in-differences estimates</i>		
Treated × post	-2.357*** (0.507)	-10.771 (74.196)
<i>Panel B: lagged dependent variable estimates</i>		
Treated	-3.379*** (0.484)	4.053 (66.909)
No. of workers	785	646

Notes: The table reports estimates of the effect of working for an employer who adopted the 35-hours workweek on working hours and household income. Specifications in panel A control for individual fixed effects and a dummy for post. Specifications in panel B control for the dependent variable measured in 1998 as well as for age, age squared, education, marital status, household size, five occupation-type dummies, eleven profession dummies, and a public-sector dummy, all measured in 1998. Standard errors in parentheses are clustered at the individual level. * p<0.10, ** p<0.05, *** p<0.01.

Table 3
Effects on smoking, BMI, and self-reported health

	Current smoker			BMI (4)	Self-rep. health (5)
	All workers (1)	1998=yes (2)	1998=no (3)		
<i>Panel A: difference-in-differences estimates</i>					
Treated × post	-0.058** (0.028)	-0.117*** (0.044)	-0.030 (0.035)	-0.084 (0.151)	0.200* (0.117)
<i>Panel B: lagged dependent variable estimates</i>					
Treated	-0.062** (0.029)	-0.119** (0.047)	-0.034 (0.038)	-0.078 (0.150)	0.179 (0.110)
<i>Panel C: difference-in-differences instrumental-variable estimates</i>					
Hours	0.025* (0.013)	0.033** (0.014)	0.019† (0.023)	0.035 (0.063)	-0.082* (0.049)
<i>Panel D: lagged dependent variable instrumental-variable estimates</i>					
Hours	0.015** (0.007)	0.031** (0.013)	0.008 (0.009)	0.019 (0.036)	-0.043 (0.027)
No. of workers	774	279	495	766	743

Notes: The table reports estimates of the effect of working for an employer who adopted the 35-hours workweek on smoking behavior, BMI, and self-reported health. Specifications in panel A control for individual fixed effects and a dummy for post. Specifications in panel B control for the dependent variable measured in 1998 as well as for age, age squared, education, marital status, household size, five occupation-type dummies, eleven profession dummies, and a public-sector dummy, all measured in 1998. Specifications in panels C and D mirror those in panels A and B, respectively, with the difference that the treatment dummy is used as an instrumental variable for actual hours worked. Standard errors in parentheses are clustered at the individual level. † indicates a first-stage F statistic lower than 10. * p<0.10, ** p<0.05, *** p<0.01.

Table 4
Heterogeneity by occupation type

	Blue-collar workers				White-collar workers			
	Hours (1)	Current smoker (2)	BMI (3)	Self-rep. health (4)	Hours (5)	Current smoker (6)	BMI (7)	Self-rep. health (8)
<i>Panel A: difference-in-differences estimates</i>								
Treated × post	-2.336*** (0.628)	-0.094*** (0.034)	0.134 (0.204)	0.379** (0.160)	-2.510*** (0.852)	-0.016 (0.053)	-0.354 (0.230)	-0.072 (0.159)
<i>Panel B: lagged dependent variable estimates</i>								
Treated	-3.475*** (0.574)	-0.088** (0.036)	0.111 (0.209)	0.224 (0.156)	-3.482*** (0.871)	-0.027 (0.053)	-0.466*** (0.229)	0.065 (0.159)
<i>Panel C: difference-in-differences IV estimates</i>								
Hours		0.040** (0.018)	-0.055 (0.086)	-0.156** (0.071)		0.006† (0.022)	0.143† (0.111)	0.028† (0.063)
<i>Panel D: lagged dependent variable IV estimates</i>								
Hours		0.023** (0.010)	-0.029 (0.054)	-0.059 (0.040)		0.006 (0.012)	0.100* (0.059)	-0.014 (0.035)
No. of workers	389	384	379	368	396	390	387	375

Notes: The table reports estimates of the effect of working for an employer who adopted the 35-hours workweek on working hours, smoking behavior, BMI, and self-reported health, separately for workers in blue-collar occupations and workers in white-collar occupations in 1998. For information on the categorization of occupations into these two groups, see the Data Appendix. For details on specifications, see the notes to Tables 2 and 3. Standard errors in parentheses are clustered at the individual level. † indicates a first-stage F statistic lower than 10. * p<0.10, ** p<0.05, *** p<0.01.

Table 5
Heterogeneity by age

	Workers aged 18-39				Workers aged 40-61			
	Hours (1)	Current smoker (2)	BMI (3)	Self-rep. health (4)	Hours (5)	Current smoke (6)	BMI (7)	Self-rep. health (8)
<i>Panel A: difference-in-differences estimates</i>								
Treated × post	-1.570** (0.665)	-0.039 (0.038)	0.002 (0.201)	0.122 (0.141)	-3.422*** (0.836)	-0.101** (0.044)	-0.054 (0.232)	0.395* (0.208)
<i>Panel B: lagged dependent variable estimates</i>								
Treated	-2.559*** (0.597)	-0.015 (0.040)	0.009 (0.204)	0.093 (0.130)	-4.364*** (0.774)	-0.120*** (0.045)	-0.146 (0.243)	0.301 (0.189)
<i>Panel C: difference-in-differences IV estimates</i>								
Hours		0.025† (0.027)	-0.001† (0.127)	-0.075† (0.092)		0.029* (0.016)	0.016 (0.068)	-0.114* (0.060)
<i>Panel D: lagged dependent variable IV estimates</i>								
Hours		0.005 (0.012)	-0.003 (0.064)	-0.029 (0.042)		0.024** (0.010)	0.029 (0.048)	-0.061 (0.038)
No. of workers	421	415	408	400	364	359	358	343

Notes: The table reports estimates of the effect of working for an employer who adopted the 35-hours workweek on working hours, smoking behavior, BMI, and self-reported health, separately for workers aged 18-39 and workers aged 40-61 in 1998. For details on specifications, see the notes to Tables 2 and 3. Standard errors in parentheses are clustered at the individual level. † indicates a first-stage F statistic lower than 10. * p<0.10, ** p<0.05, *** p<0.01.

Table 6
Robustness: focus on likely job-stayers

	Hours (1)	Current smoker (2)	BMI (3)	Self-rep. health (4)
<hr/> Subsample A: workers with permanent contracts in 1998 and 2002 <hr/>				
<i>Panel A: difference-in-differences estimates</i>				
Treated × post	-2.552*** (0.539)	-0.052* (0.030)	-0.123 (0.162)	0.231* (0.129)
<i>Panel B: lagged dependent variable estimates</i>				
Treated	-3.604*** (0.535)	-0.047 (0.032)	-0.124 (0.165)	0.171 (0.125)
No. of workers	688	678	673	649
<hr/> Subsample B: within subsample A, workers who did not change public-sector status <hr/>				
<i>Panel A: difference-in-differences estimates</i>				
Treated × post	-2.539*** (0.561)	-0.061* (0.032)	-0.111 (0.164)	0.241* (0.134)
<i>Panel B: lagged dependent variable estimates</i>				
Treated	-3.687*** (0.552)	-0.052 (0.033)	-0.124 (0.170)	0.179 (0.130)
No. of workers	631	621	618	595
<hr/> Subsample C: within subsample B, workers who did not change occupation <hr/>				
<i>Panel A: difference-in-differences estimates</i>				
Treated × post	-2.630*** (0.967)	-0.046 (0.054)	-0.028 (0.267)	0.344* (0.199)
<i>Panel B: lagged dependent variable estimates</i>				
Treated	-3.406*** (0.954)	-0.065 (0.055)	-0.033 (0.278)	0.341* (0.206)
No. of workers	289	283	283	269

Notes: The table reports estimates from regressions which probe the robustness of the main results in Table 3 to endogenous job switching. In the upper part of the table (“subsample A”), the sample is restricted to workers who report having a permanent work contract in both 1998 and 2002. In the middle part of the table (“subsample B”), this sample is further restricted to only include workers who did not change from the public to the private sector or vice versa between 1998 and 2002. The lower part of the table (“subsample C”) additionally restricts this sample to workers who report the same occupation type and profession in 1998 and 2002 (see the Data Appendix for details on these variables). For details on specifications, see the notes to Tables 2 and 3. Standard errors in parentheses are clustered at the individual level. * p<0.10, ** p<0.05, *** p<0.01.

Appendix Figure 1

Weekly working hours by treatment status and year for female workers

